

## COMTEK lista de preços – Janeiro 2017

Item	Descrição	sem IVA	com IVA
<b>216 MHz Series</b>			
<b>Portable Transmitters</b>			
<b>M-216</b>	Frequency synthesized, portable wireless microphone transmitter in the 216 MHz band. Includes C-216 carrying case, CB-36 ST aux input cable, LW-216 1/4-wave wire whip antenna, and BC-216 belt clip.	<b>€724,20</b>	<b>€890,77</b>
<b>M-216 Option 1</b>	Frequency synthesized, portable wireless microphone transmitter in the 216 MHz band <b>with microphone mute switch</b> . Includes C-216 carrying case, CB-36 ST aux input cable, LW-216 1/4-wave wire whip antenna, and BC-216 belt clip.	<b>€757,86</b>	<b>€932,17</b>
<b>M-216 Option P7</b>	Frequency synthesized, portable transmitter <b>with BNC RF output, dedicated aux or line level input, and extended low frequency response</b> . Includes C-216 carrying case, SLW-216 loaded flexible helical antenna with BNC connector, CB-36 XLRF aux input cable, and BC-216 belt clip.	<b>€793,56</b>	<b>€976,08</b>
<b>Base Station Transmitters</b>			
<b>BST 25-216</b>	Frequency synthesized, base station transmitter. Accepts mic or line level audio input. Includes 12-volt DC power supply, TWA-216 telescoping whip antenna, and <b>C-16 carrying case</b> .	<b>€2 093,04</b>	<b>€2 574,44</b>
<b>BST 25-216 RMK</b>	Frequency synthesized, base station transmitter. Accepts mic or line level audio input. Includes 12-volt DC power supply and <b>RMK-25-216 rack mount</b> .	<b>€2 093,04</b>	<b>€2 574,44</b>
<b>BST 75-216 P</b>	Programmable mini base station transmitter with <b>Pro Audio EQ</b> . Operates on 10 standard wide-band companded channels in the 216 MHz band for use with PR-216 receiver. Accepts balanced line level with XLR input and electret microphone or aux level inputs with 1/4" phone plug. Includes 12-volt universal switching power supply, SLW 75-216 loaded flexible helical antenna, and C-75 carrying case.	<b>€895,56</b>	<b>€1 101,54</b>
<b>BST 75-216 CW</b>	Programmable mini base station transmitter with <b>Communications EQ</b> . Operates on 10 standard wide-band companded channels in the 216 MHz band for use with PR-216 receiver. Accepts balanced line level with XLR input and electret microphone or aux level inputs with 1/4" phone plug. Includes 12-volt universal switching power supply, SLW 75-216 loaded flexible helical antenna, and C-75 carrying case.	<b>€895,56</b>	<b>€1 101,54</b>
<b>BST 75-216 CWN</b>	Programmable mini base station transmitter with <b>Communications EQ</b> . Operates on 5 standard wide-band companded channels for use with the PR-216 receiver and 5 standard narrow-band, non-companded channels for use with in-ear receivers. Accepts balanced line level with XLR input and electret microphone or aux level inputs with 1/4" phone plug. Includes 12-volt universal switching power supply, SLW 75-216 loaded flexible helical antenna, and C-75 carrying case.	<b>€895,56</b>	<b>€1 101,54</b>

<b>Receivers</b>			
<b>PR-216</b>	Frequency synthesized personal receiver operating in the 216 MHz band. Includes P-11 storage pouch and BC-216 belt clip.	<b>€503,88</b>	<b>€619,77</b>
<b>PR-216 Option P7</b>	PR-216 receiver with BNC connector and SLW-216 flexible helical whip antenna in place of the standard volume control knob with separate audio output level adjustment control. Includes CB-36 XLRM audio output cable, P-11 storage pouch, and BC-216 belt clip.	<b>€574,26</b>	<b>€706,34</b>
<b>76-88 MHz Series</b>			
<b>Base Station Transmitters</b>			
<b>BST-25</b>	Frequency synthesized, base station transmitter. Accepts mic or line level audio input. Includes 12-volt DC power supply, TWA-72 telescoping whip antenna, and <b>C-16 carrying case</b> .	<b>€2 153,22</b>	<b>€2 648,46</b>
<b>BST-25 RMK</b>	Frequency synthesized, base station transmitter. Accepts mic or line level audio input. Includes 12-volt DC power supply, and <b>RMK-25 Rack Mount</b> .	<b>€2 153,22</b>	<b>€2 648,46</b>
<b>Receiver</b>			
<b>PR-216 76-88</b>	Frequency synthesized personal receiver operating in the 76-88 MHz band. Includes P-11 storage pouch and BC-216 belt clip.	<b>€503,88</b>	<b>€619,77</b>
<b>72-76 MHz Series</b>			
<b>Transmitters</b>			
<b>M-175</b>	Frequency synthesized, portable wireless microphone transmitter <b>with microphone mute switch</b> operating in the 72-76 MHz band. Includes C-216 carrying case, and BC-216 belt clip.	<b>€747,66</b>	<b>€919,62</b>
<b>BST-75</b>	Frequency synthesized, programmable base station transmitter operating on all standard letter channels in the 72-76 MHz range. Includes 12-volt AC power supply, TWA-75 telescoping whip antenna, and C-75 carrying case.	<b>€818,04</b>	<b>€1 006,19</b>
<b>Receivers</b>			
<b>PR-75a</b>	Programmable, AutoSmart-Tuning receiver for personal communication and assistive listening applications. Tunes all standard letter channels in the 72-76 MHz band. Includes P-11 storage pouch and BC-216 belt clip.	<b>€313,14</b>	<b>€385,16</b>
<b>FP-75</b>	<b>Field Channel Programmer</b> for PR-75a. Provides a quick and convenient way to program specific channels for large numbers of receivers.	<b>N/A</b>	<b>N/A</b>
<b>Assistive Listening Systems</b>			
<b>Large Area Assistive Listening System</b>			

<b>CC-75 MLD</b>	Complete assistive listening installation system for houses of worship, theaters, and auditoriums. System includes BST-75 synthesized base station transmitter, two PR-75a AutoSmart-Tuning receivers, two SM-N earphone or LS-3 headsets, RMK-75 rack mount, RDA-2B remote dipole antenna, and 12-volt AC power supply. Operates in the 72-76 MHz band. (Assistive Listening Plaque included upon request.)	<b>€1 542,24</b>	<b>€1 896,96</b>
<b>Personal FM Systems</b>			
<b>AT-216</b>	Digitally synthesized wireless auditory assistance kit. Includes M-216 wireless microphone transmitter, CM-183 RT omni-directional lapel microphone, PR-216 personal receiver, NTC-102 neckloop transducer, SM-N earphone assembly, NBC 9-3-2 digital fast charger, two NH9-200 Ni-MH rechargeable batteries, CB-36 ST auxiliary audio input cable, FWA-216 flexible whip antenna, TM-10 conference table microphone adapter, and C-216 carrying case.	<b>€1 517,76</b>	<b>€1 866,84</b>
<b>AT-216 Enviro-Mic</b>	Digitally synthesized wireless auditory assistance kit with <b>plug-in Enviro-Mic</b> environmental microphone. Includes M-216 transmitter, CM-183 RT lapel microphone, PR-216 receiver with M-4020P plug-in Enviro-Mic, NTC-102 neckloop transducer, SM-N earphone assembly, NBC 9-3-2 digital fast charger, two NH9-200 Ni-MH rechargeable batteries, CB-36 ST auxiliary audio input cable, FWA-216 flexible whip antenna, TM-10 conference table microphone adapter, two BC-216 belt clips, and C-216 carrying case.	<b>€1 826,82</b>	<b>€2 246,99</b>
<b>AT-216 Smart-Mic</b>	Digitally synthesized wireless auditory assistance kit with <b>plug-in Smart-Mic</b> environmental microphone. Includes M-216 transmitter, CM-183 RT lapel microphone, PR-216 receiver with M-4020P plug-in Smart-Mic, NTC-102 neckloop transducer, SM-N earphone assembly, NBC 9-3-2 digital fast charger, two NH9-200 Ni-MH rechargeable batteries, CB-36 ST auxiliary audio input cable, FWA-216 flexible whip antenna, TM-10 conference table microphone adapter, two BC-216 belt clips, and C-216 carrying case.	<b>€1 826,82</b>	<b>€2 246,99</b>
<b>Discrete Cueing &amp; Personal Communications</b>			
<b>RC-216</b>	<b>Receive-A-Cue System.</b> Includes M-216 option 1 wireless microphone transmitter with microphone mute switch, CM-183 RT lapel microphone, PR-216 receiver, NTC-102 neckloop transducer, SM-N earphone assembly, IR-230D universal-fit digital ear-canal inductor receiver, CB-36 ST aux input cable, LW-216 1/4 wave wire whip antenna, P-1 belt-clip carrying pouch, two BC-216 belt clips, and C-216 carrying case.	<b>€1 902,30</b>	<b>€2 339,83</b>
<b>ALS-216</b>	<b>Personal Trainer System.</b> Includes M-216 option 1 wireless microphone transmitter with microphone mute switch, CM-183 RT lapel microphone, WM-183 windscreen, PR-216 receiver, two MDR-J10 (L/R) mono headphone sets, two BC-216 belt clips, and C-216 carrying case.	<b>€1 421,88</b>	<b>€1 748,91</b>
<b>Earphones &amp; Transductor</b>			
<b>LS-3</b>	High-performance, lightweight, single down-lead, dual headphone with mono mini-plug. For use with all COMTEK personal receivers.	<b>€45,90</b>	<b>€56,46</b>
<b>SM-N</b>	Powerful, high-definition, miniature hearing aid type single earphone assembly. Includes ear-tip, ear-hanger, and CB-30 cable. For use will all COMTEK personal receivers.	<b>€45,90</b>	<b>€56,46</b>

<b>MDR-J10</b>	Two behind-the-ear headphones for use with the ALS-216 Personal Trainer (one single right-ear earphone, and one single left-ear earphone).	<b>€48,96</b>	<b>€60,22</b>
<b>NTC-102</b>	Neckloop transducer for use with the AT-216 personal FM system providing hearing aid T-coil compatibility, and for use with the RC-216 Receive-A-Cue system providing IR-230 induction receiver compatibility.	<b>€96,90</b>	<b>€119,19</b>

## Microphones, Clips & Windscreens

<b>CM-183 RT</b>	Omni-directional electret condenser microphone with a 36" long cord and 2.5 mm right-angle connector for use with the M-216.	<b>€122,40</b>	<b>€150,55</b>
<b>CM-183 RTL</b>	Omni-directional electret condenser microphone with a 48" long cord and 2.5 mm right-angle connector for use with the M-175.	<b>€122,40</b>	<b>€150,55</b>
<b>HM-100 C</b>	Headworn, uni-directional microphone with a 36" cord and 2.5 mm connector for use with the M-216.	<b>€147,90</b>	<b>€181,92</b>
<b>HM-100 CL</b>	Headworn, uni-directional microphone with a 48" cord and 2.5 mm connector for use with the M-175.	<b>€147,90</b>	<b>€181,92</b>
<b>HH-185</b>	Handheld, uni-directional boom microphone allows the standard M-216 transmitter to be used as a handheld wireless microphone transmitter.	<b>€313,14</b>	<b>€385,16</b>
<b>MC-183</b>	Microphone clip for all CM-183 type microphones.	<b>€10,20</b>	<b>€12,55</b>
<b>WM-183</b>	Windscreen for all CM-183 type microphones.	<b>€14,28</b>	<b>€17,56</b>
<b>WM-100</b>	Windscreen for all HM-100 type head-worn microphones.	<b>€9,18</b>	<b>€11,29</b>

## Cables

<b>CB-36 ST</b>	36" long 3.5 mm stereo to 3.5 mm mono auxiliary audio input cable for M-216 transmitter's aux input.	<b>€58,14</b>	<b>€71,51</b>
<b>CB-36 STP</b>	36" long 3.5 mm stereo to 3.5 mm mono auxiliary audio input cable with RF isolation for M-216 transmitter's aux input.	<b>€67,32</b>	<b>€82,80</b>
<b>CB-36 1/4</b>	36" long 1/4" stereo to 3.5 mm mono auxiliary audio input cable with RF isolation for M-216 transmitter's aux input.	<b>€67,32</b>	<b>€82,80</b>
<b>CB-36 XLR-F</b>	36" long XLR-F to 3.5 mm mono auxiliary audio input cable with RF isolation for M-216 transmitter's aux input.	<b>€73,44</b>	<b>€90,33</b>
<b>CB-36 XLRM</b>	36" long 3.5 mm stereo to XLR-M audio output cable with RF isolation for PR-216 option 7 receiver.	<b>€73,44</b>	<b>€90,33</b>

## Antennas

<b>SLW-216</b>	Short, flexible helical whip antenna for M-216 Option P7 and PR-216 Option P7.	<b>€54,06</b>	<b>N/A</b>
<b>SLW 216-75</b>	Short, flexible helical whip antenna with right angle BNC connector for all BST 75-216 type mini base station transmitters in the 216 MHz band.	<b>€58,14</b>	<b>€71,51</b>
<b>LW-216</b>	1/4-wave wire whip antenna for use in mic input on standard M-216 type transmitters when only aux input is used.	<b>€34,68</b>	<b>€42,66</b>

<b>MO-Loaded MAG</b>	Loaded whip antenna with magnetic mount. Includes 14 ft. coax cable to BNC connector. Available from <b>72-76 MHz, 76-82 MHz, and 82-88 MHz. Please specify frequency when ordering.</b>	<b>€115,26</b>	<b>€141,77</b>
<b>MO-1/4 Wave MAG</b>	1/4-wave antenna with magnetic mount. Includes 14 ft. coax cable to BNC connector. Available from <b>72-76 MHz, 76-82 MHz, 82-88 MHz, and 216 MHz. Please specify frequency range when ordering.</b>	<b>€115,26</b>	<b>€141,77</b>
<b>MO-Loaded</b>	Loaded whip antenna with permanent mount for vehicle installation. Includes 14 ft. coax cable to BNC connector. Available from <b>72-76 MHz, 76-82 MHz, and 82-88 MHz. Please specify frequency when ordering.</b>	<b>€115,26</b>	<b>€141,77</b>
<b>MO-1/4 Wave</b>	1/4-wave antenna with permanent mount for vehicle installation. Includes 14 ft. coax cable to BNC connector. Available from <b>72-76 MHz, 76-82 MHz, 82-88 MHz, and 216 MHz. Please specify frequency range when ordering.</b>	<b>€115,26</b>	<b>€141,77</b>
<b>Mini-Mite 216</b>	1/2 wave antenna for use with the BST 25-216 and BST 75-216 type transmitters in the <b>216 MHz band.</b>	<b>€224,40</b>	<b>€276,01</b>
<b>PRA-216</b>	<b>Phase Right Antenna.</b> Efficient, general purpose antenna for use with the BST 25-216 and BST 75-216 type transmitters in the <b>216 MHz band.</b> Includes 14 ft. coax cable with BNC terminating connector.	<b>€327,42</b>	<b>€402,73</b>
<b>PRA 76-88</b>	<b>Phase Right Antenna</b> for use with the BST-25 synthesized transmitter in the <b>76-88 MHz</b> band. Includes two antenna whips for <b>76-82 MHz</b> and <b>82-88 MHz</b> , and 25 ft. coax cable with BNC terminating connector.	<b>€363,12</b>	<b>€446,64</b>
<b>PRA-72</b>	<b>Phase Right Antenna.</b> Efficient, general purpose antenna for the <b>72-76 MHz</b> band. Includes 25 ft. coax cable with BNC terminating connector.	<b>€339,66</b>	<b>€417,78</b>
<b>PRA-B</b>	Wall-mounting bracket for all Phase Right Antennas.	<b>€51,00</b>	<b>€62,73</b>
<b>RDA-2B</b>	Remote dipole antenna with 25 ft. of coax cable with BNC terminating connector. Available from <b>72-76 MHz</b> and <b>216 MHz. Please specify frequency when ordering.</b>	<b>€92,82</b>	<b>€114,17</b>
<b>TWA-216</b>	Telescoping whip antenna for BST 25-216 in the 216 MHz band.	<b>€34,68</b>	<b>€42,66</b>
<b>TWA-72</b>	Telescoping whip antenna for BST-25 base station transmitter in the 76-88 MHz band.	<b>€29,58</b>	<b>€36,38</b>
<b>TWA-75</b>	Telescoping whip antenna for BST-75 mini base station transmitter in the 72-76 MHz band.	<b>€29,58</b>	<b>€36,38</b>
<b>Batteries &amp; Battery Chargers</b>			
<b>NBC 9-3-1</b>	Single bay diagnostic digital fast charger will charge one portable transmitter or receiver. Charges 9-volt and/or 3-volt Ni-MH rechargeable batteries.	<b>€94,86</b>	<b>€116,68</b>
<b>NBC 9-3-2</b>	Dual bay diagnostic digital fast charger will charge two portable transmitters and/or receivers. Charges 9-volt and/or 3-volt Ni-MH rechargeable batteries.	<b>€161,16</b>	<b>€198,23</b>
<b>NBC 9-3-12</b>	Portable, diagnostic digital fast charger/storage case will charge up to 12 portable transmitters and/or receivers. Charges 9-volt and/or 3-volt Ni-MH rechargeable batteries.	<b>N/A</b>	<b>N/A</b>
<b>NH9-200</b>	Rechargeable 9-volt, 7 cell Ni-MH battery for use with all COMTEK 9-volt products.	<b>€20,40</b>	<b>€25,09</b>

<b>NH9-2300</b>	Rechargeable high capacity AA Ni-MH battery for use with PR-75a receiver.	<b>€9,18</b>	<b>€11,29</b>
<b>Carrying Cases and Pouches</b>			
<b>P-1</b>	Belt-clip carrying pouch with zipper top for COMTEK portable transmitters and receivers.	<b>€19,38</b>	<b>€23,84</b>
<b>P-11</b>	Velcro-top storage pouch for COMTEK portable transmitters and receivers.	<b>€13,26</b>	<b>€16,31</b>
<b>BC-216</b>	Snap-on belt clip for COMTEK portable transmitters and receivers.	<b>€9,18</b>	<b>€11,29</b>
<b>C-216</b>	Carrying case for two portable transmitters and/or receivers and accessories.	<b>€34,68</b>	<b>€42,66</b>
<b>C-216-4</b>	Carrying case for four portable transmitters and/or receivers.	<b>€38,76</b>	<b>€47,67</b>
<b>C-216-10</b>	Carrying case for ten portable transmitters and/or receivers.	<b>€67,32</b>	<b>€82,80</b>
<b>C-16</b>	Carrying case for one BST-25 or BST 25-216 base station transmitter, one receiver, and accessories.	<b>€58,14</b>	<b>€71,51</b>
<b>C-75</b>	Carrying case for one BST-75 base station transmitter and accessories.	<b>€39,78</b>	<b>€48,93</b>
<b>Rack Mounts</b>			
<b>RMK-25-216</b>	Rack-mounting faceplate for one BST 25-216 base station transmitter.	<b>€86,70</b>	<b>€106,64</b>
<b>RMK-25-216-2</b>	Rack-mounting faceplate for two BST 25-216 base station transmitters.	<b>€102,00</b>	<b>€125,46</b>
<b>RMK-25</b>	Rack-mounting faceplate for one BST-25 base station transmitter.	<b>€86,70</b>	<b>€106,64</b>
<b>RMK-25-2</b>	Rack-mounting faceplate for two BST-25 base station transmitters.	<b>€102,00</b>	<b>€125,46</b>
<b>RMK-75</b>	Rack-mounting faceplate for one BST-75 or BST 75-216 base station transmitter.	<b>€46,92</b>	<b>€57,71</b>
<b>RMK-75-2</b>	Rack-mounting faceplate for two BST-75 or BST 75-216 base station transmitters.	<b>€48,96</b>	<b>€60,22</b>
<b>RMK-75-4</b>	Rack-mounting faceplate for four BST-75 or BST 75-216 base station transmitters.	<b>€57,12</b>	<b>€70,26</b>
<b>MBS-216</b>	Free standing snap-in mounting bracket and stand for one M-216 Option P7 transmitter or PR-216 Option P7 receiver.	<b>€67,32</b>	<b>€82,80</b>
<b>MB-216</b>	Velcro mounting snap-in bracket for one M-216 Option P7 or PR-216 Option P7 receiver.	<b>€24,48</b>	<b>€30,11</b>