










Production Field Mixer/Recorders - Gravadores / Misturadores autónomos

Modelo	Descrição	sem IVA	Com IVA
 Scorpio	Mixer Recorder with 16 mic/line preamplifiers, 32 channels of Dante in and out, up to 36 record tracks, AES in and out, 12 analog outputs. Each of the 16 inputs includes built-in analog limiters, high pass filters, delay, 3-band EQ and phantom power. Records simultaneously to internal SSD drive and removable dual SD cards. Includes precision master timecode generator. Powered via 2 x L-Mount Batteries (not included) or external power via TA4 connector. XL-WPTA4 power adapter included.	8 995,00€	11 063,85€
 688	12-input field mixer with 16-track integrated recorder with time code. Six mic/line inputs with phantom, high-pass, and limiters plus six line-only inputs. Master L/R outputs plus aux buses. Features MixAssist, Digital Mixing & routing. Records broadcast WAV up to 192 kHz and MP3 files to CompactFlash and SD cards. Includes PowerSafe™. Powered by 10-18 VDC or 5-AA batteries.	5 998,00€	7 377,54€
 664	12-input field mixer with 16-track integrated recorder and time code. Six mic/line inputs with phantom, high-pass, and limiters plus six line-only inputs. Master L/R outputs plus aux buses. Records broadcast WAV and MP3 files to CompactFlash and SD cards. Powered by 10-18 VDC or 5-AA batteries.	4 998,00€	6 147,54€
 633	Six input compact mixer with integrated 10-track recorder and time code. Three mic/line inputs on XLR plus three line-only inputs on TA3. L/R output plus four added output buses. AES3/AES42 input and selectable AES3 output. Records broadcast WAV files up to 24-bit @ 192 kHz or MP3 to SD and CF cards. Powered by ext. DC (12-18V), Sony L-type (x2) or 6 AA (LR6) batteries. Features PowerSafe.	3 328,00€	4 093,44€
 633 Kit	Kit includes: 633 mixer and CS-633 bag (by Portabrace). Also includes cables: (3) XL-2F, (2) XL-2, (1) XL-LB2; plus batteries: (2) XL-B2, plus storage media (1) 32 GB approved CompactFlash card, and (1) 32 GB approved SD card. Order the 633 Pack for the accessory Box only.	4 099,00€	5 041,77€
 552	Field mixer with five transformer-balanced mic/line inputs with phantom, high-pass, and limiters. Multiple outputs include XLR mic/line master outs, direct out, and two AES/EBU outs (four-channels). Built-in two-channel recorder (SD/SDHC card). Battery (4-AA) or external DC powered.	3 610,00€	4 440,30€






7-Series Audio Recorders - Gravadores áudio Séries 7

Modelo	Descrição	sem IVA	Com IVA
 788T-SSD	Eight input, 12-track portable audio recorder with time code. Eight analog mic/line or digital inputs. 240 GB internal SSD drive and CompactFlash card recording. External FireWire 400/800, and USB 2.0 support. Includes 4600 mAh Li-ion battery, AC power adapter.	6 849,00€	8 424,27€
 702T	Portable time code-enabled audio recorder, two-channel analog and AES digital I/O, CompactFlash card recording. Includes 2000 mAh Li-ion battery, AC power adapter, and XL-1394 power conditioner.	2 699,00€	3 319,77€

Rackmount Audio Recorder - Gravador áudio de rack

Modelo	Descrição	sem IVA	Com IVA
 970	Rack-mounted audio recorder with time code. 64-track mono or polyphonic WAV file recording. I/O includes 8-balanced line level, 8-AES3, 64-Dante, and 64-MADI. Word clock I/O. Accepts two front-panel-mounted SATA drives in caddies plus two-back panel eSATA-connected drives. RS-422 and embedded web-server control. XL-WP4 Power supply included. Rack kit, Drives and Caddys not included.	4 749,00€	5 841,27€

Broadcast Essentials - Essenciais para Broadcast

Modelo	Descrição	sem IVA	Com IVA
 302	Compact, full-featured production mixer with three mic/line inputs, 48 V phantom, T-power, and limiters. Mic/line switchable XLR output. Includes 40-segment LED meter, MS matrix. Powered by battery (3-AA) or external DC. No recorder built-in.	1 698,00€	2 088,54€
 USBPre 2	Two-channel, portable, high-resolution USB audio interface for Mac OS and Windows. Balanced mic/line analog and coaxial/optical SPDIF I/O, with up to 24 bit/192 kHz resolution. 48V phantom, peak limiters and high pass filter on microphone inputs. Stand-alone operation allows use as microphone preamplifier and A/D converter. USB bus powered.	895,00€	1 100,85€
 HX-3	Battery-powered stereo headphone amplifier. Three outputs. Accepts balanced and unbalanced line level inputs. Powered from 2-AA batteries or external DC.	455,00€	559,65€
 MM-1	Battery-powered microphone preamplifier with headphone monitoring. 48 V phantom and T-power, limiter, high-pass filter. 2-AA or external DC powered.	559,00€	687,57€
 MP-1	Battery-powered single-channel microphone preamplifier, with 48 V phantom, limiter, and high-pass filter. Powered from 2-AA batteries.	455,00€	559,65€

Product Accessories - Acessórios

	Modelo	Descrição	sem IVA	Com IVA
MEDIA	SAM-32SD	32GB approved SD/SDHC card for use with Sound Devices and Video Devices products. It is rated at 90 MB/s for read & write speeds (620x).	49,99€	61,49€
	SAM-32CF	32GB approved Compact Flash card for use with Sound Devices audio recorders. The UDMA-7 media card provides data rates of up to 160MB/s read & 120MB/s write speeds (1050x). Not for use with PIX-240i or PIX-220i.	89,99€	110,69€
	PIX-SSD6	240 GB capacity, 2.5" SSD approved for use with the 970. Preformatted exFAT. No shim required w/ PIX-CADDY 2.	219,00€	269,37€
	Modelo	Descrição	sem IVA	Com IVA
7-Series	CL-8	External controller for 788T and 788T-SSD recorders. Designed for over the shoulder or cart applications. Provides control of pre- or post-fader gain, input routing, high-pass filter, input limiters, polarity reversal, input solo, and slate mic. Connects and powered from 788T from USB.	1 221,00€	1 501,83€
	CL-9	Linear fader controller for the 788T Digital Recorder. Includes 100 mm linear faders, rotary trim control, adjustable single-band parametric eq, pan control, and solo per input. Rotary level controls for L, R, Aux 1, and Aux 2 tracks and outputs. Also offers two PL comm return inputs. Powered by 788T USB connection.	2 420,00€	2 976,60€
6-SERIES	CL-12	Linear fader controller for the 688, 664 and 633. Powered by 6-Series USB connection for 688. 633 and 664 require external 5v power via rear USB port.*Not all features available on 664 & 633.	2 095,00€	2 576,85€
	CL-12 Alaia Blonde Maple	Same as CL-12 Classic with the addition of twelve Penny & Giles high performance linear faders for extra smooth movement. Includes handcrafted Curly Blonde Maple wood side panels & aluminum panels.	2 995,00€	3 683,85€
	CL-6	Input Controller for 664 & 688 . Adds dedicated front panel controls for inputs 7-12. Also offers LED output meters and additional recording controls.	1 221,00€	1 501,83€
	SL-6	Wireless integration accessory for the 688. Secures to 688 and can hold up to three dual unislot or SuperSlot™ compatible Receivers controlled via the 688. Adds NP-1 powering option, two 12v isolated outputs & two non isolated outputs for external devices.Plus one USB Charging port.	1 495,00€	1 838,85€
	SL-Riser	Aluminum chassis coupler used between SL-6 and Scorpio for a secure connection, required for SL-6 with Scorpio.	145,00€	178,35€
	WM-Connect	For connection to Wingman® IOS app. WM-Connect uses Bluetooth® Smart technology and comes with a right-angle USB A-to-B adapter and USB A-to-B cable adapter to connect to the 6-Series USB port or a CL-12's USB keyboard port.	68,00€	83,64€
	633 Pack	Pack includes: CS-633 bag (by PortaBrace)cables: (3) XL-2F, (2) XL-2, (1) XL-LB2; plus batteries: (2) XL-B2, plus storage media (1) 32 GB approved CompactFlash card, and (1) 32 GB approved SD card. 633 Mixer not included.	765,00€	940,95€
970	XM-CADDY PACK	Includes (2) 2.5" PIX-SSD-6 240 Gig 2.5" SATA Drives pre-mounted to (2) PIX CADDY-2 mounting accessories. For use with the 970 only.	775,00€	953,25€
	PIX-CADDY CF	Compact Flash Caddy interface. Records audio .WAV files to approved removable CF Cards. For use with 970 only.	217,00€	266,91€
	PIX-CADDY 2	2.5" SSD drive caddy for the 970 Audio Recorder/Player. FW 800 USB 3.0 and eSATAp connections for data transfer.	164,00€	201,72€
	PIX-SHIM2	Shim for use with 7mm drives. Increases SSD thickness from 7 mm to 9 mm making it compatible with the 970. Includes shims for two drives.	27,00€	33,21€
	PIX-RACK	Rack-Mount kit for the 970. Accommodates (2) rack type recorders. Includes a blank panel for mounting a single unit. 2 RU height.	130,00€	159,90€
CASES	CS-3	Production case with high-quality strap for use with 302, 702, 702T, 722, and 744T recorders and MixPre-D; NP-type battery compartment and accessory pouch for wireless. Made by CamRade for Sound Devices.	165,00€	202,95€
	CS-5	Production case with high-quality strap for use with the 552 Field Mixer, 788T Recorder, or 788T with CL-8 Controller; with NP type battery compartment, accessory compartment and a door to access 552 and 788T removable media; includes removable rain cover. Made by CamRade for Sound Devices.	258,00€	317,34€
	CS-633	Production case for use with the 633 mixer. Offers accessory pouch with pass-through for wireless, bottom access to 7.2 V "L" batteries. Includes removable rain cover and handle. Made by PortaBrace for Sound Devices. Strap not included.	217,00€	266,91€
	CS-688	Production Case for 688 and 664 ,made of 1000-denier Cordura® nylon with a rigid plastic frame. Holds Mixer, CL-6 and SL-6 simultaneously. Includes Suede Shoulder Strap and Rainhood. Made by PortaBrace for Sound Devices.	369,00€	453,87€
	CS-STRAP	PortaBrace model HB-15 medium duty neck strap with metal hooks. For use with CS-633 Production Case.	61,00€	75,03€
	CS-MAN	Convenient, padded carry case with handles; fits MM-1, MP-1, HX-3, 302, 7-Series recorders; handy to store wallets, keys and mobile phones. Handcrafted in China.	15,00€	18,45€
AUDIO CABLES	XL-1B	TA3-F to TA3-F cable, 442 and 302 mixer linking, also used to connect 442/552 direct outputs to 7-Series TA3 inputs; 12-inch.	34,00€	41,82€
	XL-2	TA3-F to XLR-M cable; 25-inch; connects balanced TA3 outputs to balanced XLR inputs; two cables included.	75,00€	92,25€
	XL-2F	XLR-F to TA3-F cable; 25-inch; connects balanced XLR outputs to balanced TA3 inputs; two cables included.	75,00€	92,25€
	XL-2X	TA3-F to Unisex XLR cable, 25-inch; connects balanced TA3 to Unisex XLR (M or F) inputs.	109,00€	134,07€
	XL-3	3.5 mm to TA3-F audio cable.	50,00€	61,50€
	XL-4	TA3-F (type) connectors, bag of four.	31,00€	38,13€
	XL-10	Hirose 10-pin to two-XLR (balanced L/R) and 3.5 mm plug (442 , 552 and 664 Stereo Return A) breakout cable; includes in-line 20-foot extension cable; 442, 552 and 664 specific.	266,00€	327,18€
	XL-14	3.5-mm male right-angle TRS to 1/4-inch female TRS jack for headphone extension, 12-inch.	20,00€	24,60€
	XL-TA5XF2	TA5F to (2) XLR-F @ 24-inches long. Two cables per package. For use with Scorpio	150,00€	184,50€
	XL-88	788T-specific breakout cable for the DE-15 Multi-pin Connector. Breakout connections include: four female XLR connectors for AES Inputs 1-8, XLR male connector for AES Output 5-6, a 4-pin Hirose female connector, accepts 10-18 VDC input, and a lead for logic in & out.	186,00€	228,78€
TIMECODE	XL-LL	LEMO-5 to LEMO-5 time code cable, time code equipped 7-Series recorders to Ambient Lockit, Slate, or Masterclock, coiled cable, 20-inch coiled, 55-inch full extension.	93,00€	114,39€
	XL-LX	LEMO-5 to XLR-M and XLR-F for time code input & output, 25-inch to XLR-M, 14-inch to XLR-F.	93,00€	114,39€
	XL-BNC	BNC to BNC for word clock and AES3id interconnection, 24-inch.	30,00€	36,90€
	XL-LB2	LEMO-5 to BNC-in and BNC-out for time code to camera jamming, 60-inch.	119,00€	146,37€

Product Accessories - Acessórios

	Modelo	Descrição	sem IVA	Com IVA
POWERING	XL-1394	Power conditioner for use when powering bus powered external data drives with 702, 702T, 722, and 744T recorders. Recommended only for real time recording to external drives.	106,00€	130,38€
	XL-B2	Lithium Ion 7.2 V, 4600 mAh battery. Sony L-compatible mount.	81,00€	99,63€
	XL-B3	Lithium Ion 7.2 V, 6600 mAh battery. Sony L-compatible mount.	98,00€	120,54€
	XL-SmartBattery	Rechargeable Smart Lithium Ion Battery 6.8Ah / 98Wh.	195,00€	239,85€
	SD-Charge	Charger for Sony compatible L Series batteries. Charges one battery. Includes wall & car charger, Euro adapter. Input voltage 110v-240v.	30,00€	36,90€
	XL-SmartCharger	Inspired Energy Dual bay, simultaneous smart charger/calibrator which provides the capability to carry out charging and fuel gauge calibration on any two XL-SmartBatteries or Inspired Energy "N- Series" batteries. USA IEC cable included.	439,00€	539,97€
	XL-DC	Coaxial power connector, raw, for mating with DC input on MM-1, HX-3. (Also early models 442 and MixPre).	12,00€	14,76€
	XL-H	4-pin Hirose connector for mating with the DC power input of the 633, 664, 552, 442, 302, MixPre, MixPre-10T & 7-Series.	23,00€	28,29€
	XL-H4	Power adapter cable, 4-pin XLR-M to 4-pin Hirose, 6 in.	65,00€	79,95€
	XL-NPH	NP-type battery cup with 12-inch cable terminated in Hirose 4-pin locking DC connector (HR10-7P-4P) at equipment end. For use with MixPre-D, 302, 552, 663, 664, 688, MixPre-10T and 7-Series.	89,00€	109,47€
	XL-NPTA4	NP-type battery cup with 24-inch cable terminated in TA4F at cable end. For use Scorpio Mixer/Recorder.	65,00€	79,95€
	XL-SmartCup	SmartBattery cup with 24-inch cable terminated to TA4F connector for external battery power of Scorpio.	79,00€	97,17€
	XL-WPH3	Universal, 45 W in-line AC-to-DC power supply Hirose 4-pin DC plug; with detachable IEC power cord; for all Sound Devices mixers and portable recorders w/ 4-pin Hirose connector, 100-240, 50/60 Hz. Included with all 7-Series recorders.	102,00€	125,46€
	PIX-E PSU	AC to DC Power Supply (in-line) 100 – 240 V 50/60 Hz input, 12 VDC 3.0A output, right angle coaxial DC plug. Supplied with 3-pin IEC cord for use in North America and Japan. For use with MM-1, HX-3 and PIX-E models. Replaces XL-WP3	45,00€	55,35€
XL-WP4	Universal, 66 W in-line AC-to-DC power supply XLR 4-pin DC connector with detachable IEC power cord. 100-240, 50/60 Hz. Included w/ 970. Fits MD-4 DC power connector.	114,00€	140,22€	
XL-WPTA4	Universal, 60 watt in-line AC-to-DC power supply w/ TA4F DC connector, detachable IEC power cord. 100-240VAC, 50/60 Hz. Included w/ Scorpio. Safety Approvals: CB / UL / cUL / FCC / GS / CE / PSE / BSMI / CCC / RCM / LPS. EMI/EMS Certified. Use with Scorpio	60,00€	73,80€	
MISC	PIX-Base	Solid metal base with adjustable height and angle. For use with MixPre Series Recorders & PIX-E monitors. Mounts via 1/4" 20-thread mounting hole. Can also be used with any device with 1/4" 20 screw hole. "A" mounting holes for 'permanently' fixing PIX-Base to a table or other structure. Multiple bases can be linked together without tools using interlocking design.	149,00€	183,27€
	XL-RJ	RJ-12 to RJ-12 for C. Link to C. Link 702, 702T, 722, and 744T recorder linking, 12-inch.	20,00€	24,60€
	XL-CAM	Camera mounting bracket for MixPre-D.	99,00€	121,77€
	XL-LCD	Protective, clear Lexan LCD cover for 7-Series Digital Recorders. Protects the LCD glass from scratches and water. Kit of four covers.	31,00€	38,13€
	XL-LCD6	Protective, clear LCD cover for 633, 664 & 688. Package includes four (4) covers.	18,00€	22,14€